

CERTIFICATE OF ANALYSIS

Customer Name	VoyagerCann	Customer Address	Suite 2, Arran House, Perth, PH1 3DZ
Sample Name	Metanoia CBD Balm 1000mg CBD, 55ml	Condition Upon Receipt	As expected
Batch Number	MN02010324	Receipt Date	03Apr2024
Sample ID	4430	Reported Date	20Apr2024

Test Method	Analyte	% w/w	mg/unit	Date Tested
T-009	Cannabidivarinic Acid (CBDVA)	ND	ND	12APR2024
T-009	Cannabidivarin (CBDV)	<0.01	<LOQ	12APR2024
T-009	Cannabidiolic Acid (CBDA)	ND	ND	12APR2024
T-009	Cannabigerolic Acid (CBGA)	ND	ND	12APR2024
T-009	Cannabigerol (CBG)	ND	ND	12APR2024
T-008	Cannabidiol (CBD)	2.0	1030.7	12APR2024
T-009	Tetrahydrocannabivarin (THCV)	ND	ND	12APR2024
T-009	Tetrahydrocannabivarinic Acid (THCVA)	ND	ND	12APR2024
T-009	Cannabinol (CBN)	ND	ND	12APR2024
T-009	Δ 9-Tetrahydrocannabinol (Δ 9-THC)	ND	ND	12APR2024
T-009	Δ 8-Tetrahydrocannabinol (Δ 8-THC)	ND	ND	12APR2024
T-009	Cannabicycol (CBL)	ND	ND	12APR2024
T-009	Cannabichromene (CBC)	ND	ND	12APR2024
T-009	Δ 9-Tetrahydrocannabinolic Acid A (THCA)	ND	ND	12APR2024
T-009	Cannabichromenic Acid (CBCA)	ND	ND	12APR2024

LOQ is 0.01 % w/w, LOD is 0.003 % w/w, ND is Not Detected



Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537

Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

CERTIFICATE OF ANALYSIS

Customer Name	VoyagerCann	Customer Address	Suite 2, Arran House, Perth, PH1 3DZ
Sample Name	Metanoia CBD Balm 1000mg CBD, 55ml	Condition Upon Receipt	As expected
Batch Number	MN02010324	Receipt Date	03Apr2024
Sample ID	4430	Reported Date	20Apr2024

Comments: None

Authorization:



Heather Krebs, Director of Laboratory Operations



Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537

Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).